

according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive

Product code: D33

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

D33 Penetrating Grade Adhesive

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	Delta Adhesives Limited
Place:	Units 39-40 Claycliffe Business Park, Barnsley, S75 1JU United Kingdom
Telephone:	+44 (0)1226 381571
Internet:	www.delta-adhesives.co.uk
Responsible Department:	sales@delta-adhesives.co.uk
1.4. Emergency telephone	+44 (0)1226 381571 (Mo-Fr, 08:00-16:00)
number:	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: Xi - Irritant R phrases: Irritating to eyes and respiratory system. May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

GHS classification

Hazard categories: Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory/skin sensitization: Skin Sens. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazardous components which must be listed on the label

Polyglycol dimethacrylate

cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide



H317

May cause an allergic skin reaction.



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive

Product code: D33

Page 2 of 11

- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to in accordance with official regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No]
	Polyglycol dimethacrylate	85 - < 90 %
25852-47-5	R43-52-53	
	Skin Sens. 1, Aquatic Chronic 3; H317 H412	
221-950-4	propylidynetrimethyl trimethacrylate	5 - < 10 %
3290-92-4	Xi - Irritant R36/38	
	Eye Irrit. 2, Skin Irrit. 2; H319 H315	
201-254-7	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide	1 - < 5 %
80-15-9	O - Oxidizing, T - Toxic, C - Corrosive, Xn - Harmful, N - Dangerous for the environment R7-23-21/22-48/20/22-34-51-53	
617-002-00-8	Org. Perox. E, Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, STOT RE 2, Skin Corr. 1B, Aquatic Chronic 2; H242 H331 H312 H302 H373 ** H314 H411	
204-055-3	2'-Phenylacetohydrazide	< 1 %
114-83-0	T - Toxic, Xi - Irritant R25-36/37/38-43	
	Acute Tox. 3, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Skin Sens. 1; H301 H319 H335 H315 H317	

Full text of R and H phrases: see Section 16.

Further Information

Product does not contain listed SVHC substances.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

After inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of irritation of the respiratory tract seek medical advice.



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive

Product code: D33

Page 3 of 11

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink large quantities of water. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry extinguishing powder. Foam. Water spray. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical resistant suit. In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray/stream to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation.

Do not breathe gas/vapour/spray. Avoid contact with skin, eye and clothing. Wear personal protection equipment. (refer to chapter 8)

6.2. Environmental precautions

Do not empty into drains or the aquatic environment. Prevent spreading over great surfaces (e.g. by damming or installing oil booms). In case of leakage into waters, ground or the drainage system, the appropriate authorities must be informed.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ventilate affected area.

Treat the assimilated material according to the section on waste disposal.

Clear contaminated area thoroughly.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Adhesive

Product code: D33

Page 4 of 11

Advice on safe handling

Provide adequate ventilation. Wear suitable protective clothing. (Refer to chapter 8.)

Advice on protection against fire and explosion

In case of fire and/or explosion do not breathe fumes. Usual measures for fire prevention.

Further information on handling

Do not breathe gas/vapour/spray. Avoid contact with skin, eye and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep container dry.

Advice on storage compatibility

Do not store together with: Radioactive substances. Infectious substances. Organic peroxides. Oxidizing solids. Oxidizing liquids. Pyrophoric liquids and solids. flammable substances. Substances or mixtures which, in contact with water emit flammable gases. Non-combustible toxic substances.

Further information on storage conditions

Protect against: Light. UV-radiation/sunlight. heat. cooling. moisture.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national limit values exist.

8.2. Exposure controls



Appropriate engineering controls

In case of open handling, use devices with built-in suction where possible. If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.

Protective and hygiene measures

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and at the end of work. Remove contaminated clothing immediatley and dispose off safely. Wash contaminated clothing prior to re-use. Used working clothes should not be used outside the work area. Street clothing should be stored separately from work clothing.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. DIN EN 166

Hand protection

Pull-over gloves of rubber. DIN EN 374 Suitable material: (Breakthrough time >= 480 min, penetration time (maximum wearing period): 160 min) CR (polychloroprenes, Chloroprene rubber). (0,5 mm) NBR (Nitrile rubber). (0,35 mm) FKM (fluororubber). (0,4 mm) PVC (Polyvinyl chloride). (0,5 mm) Butyl rubber. (0,5 mm) Before using check leak tightness / impermeability. In case of reutilization, clean gloves before taking



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive

Product code: D33

Page 5 of 11

off and store in well-aired place. In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Skin protection

Suitable protection of the body: Lab apron.

Respiratory protection

Respiratory protection required in case of: insufficient ventilation. Generation/formation of aerosols Generation/formation of mist Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Type : A / P2/P3 The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Do not empty into drains or the aquatic environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	Green
Odour:	characteristic

		Test method
pH-Value:	not determined	
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Flash point:	not determined	
Explosive properties none/none		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Oxidizing properties none/none		
Vapour pressure:	not determined	
Density:	not determined	
Viscosity / dynamic:	not determined	
Solvent content:	<2% - Data concerning the Directive 1999/13/EC on the limitation of emissions of volatile organic compounds (VOC-RL)	
9.2. Other information		

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive

Product code: D33

Page 6 of 11

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

Materials to avoid: Strong acid. Oxidizing agents, strong. Alkalis (alkalis), concentrated.

10.4. Conditions to avoid

Protect against: Light. UV-radiation/sunlight. heat. cooling. moisture.

10.5. Incompatible materials

Materials to avoid: Strong acid. Oxidizing agents, strong. Alkalis (alkalis), concentrated.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Acute toxicity

Chemical name					
Exposure routes	Method	Dose	Species	Source	
propylidynetrimethyl trimethad	crylate				
oral	LD50	>2000 mg/kg	Rat.	ECHA Dossier	
dermal	LD50	>2000 mg/kg	Rabbit.	ECHA Dossier	
cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide					
oral	LD50	382 mg/kg	Rat.	IUCLID	
dermal	LD50	500 mg/kg	Rat.	RTECS	
inhalative (4 h) vapour	LC50	(200) mg/l	Mouse.	IUCLID	
inhalative aerosol	ATE	0,5 mg/l			
2'-Phenylacetohydrazide					
oral	LD50	270 mg/kg	Mouse.		
	Exposure routes propylidynetrimethyl trimethad oral dermal cumene hydroperoxide, alpha oral dermal inhalative (4 h) vapour inhalative aerosol 2'-Phenylacetohydrazide	Exposure routes Method propylidynetrimethyl trimethacrylate ID50 oral LD50 dermal LD50 cumene hydroperoxide, alpha,alpha-dimethyl oral LD50 dermal LD50 inhalative (4 h) vapour LC50 inhalative aerosol ATE 2'-Phenylacetohydrazide Interval	Exposure routes Method Dose propylidynetrimethyl trimethacrylate oral LD50 >2000 mg/kg dermal LD50 >2000 mg/kg cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoc oral LD50 382 mg/kg dermal LD50 500 mg/kg inhalative (4 h) vapour LC50 (200) mg/l inhalative aerosol ATE 0,5 mg/l 342 mg/kg	Exposure routesMethodDoseSpeciespropylidynetrimethyl trimethacrylateoralLD50>2000 mg/kgRat.dermalLD50>2000 mg/kgRabbit.cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxideoralLD50382 mg/kgRat.dermalLD50382 mg/kgRat.LD50500 mg/kgRat.inhalative (4 h) vapourLC50(200) mg/lMouse.Mouse.inhalative aerosolATE0,5 mg/lMouse.Mouse.	

Irritation and corrosivity

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (Polyglycol dimethacrylate), (2'-Phenylacetohydrazide)

Respiratory or skin sensitisation:

People who suffer from skins problems, asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance.

STOT-single exposure

May cause respiratory irritation. (2'-Phenylacetohydrazide)

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met. propylidynetrimethyl trimethacrylate: Chronic oral toxicity (45d, Rat.) NOAEL = >900 mg/kg(bw)/day; literature infomation: ECHA Dossier

cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide: Subchronic inhalative toxicity (Rat.) NOAEC = 31 mg/m3; literature infomation: ECHA Dossier



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive

Product code: D33

Page 7 of 11

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. propylidynetrimethyl trimethacrylate: In-vitro mutagenicity:

OECD Guideline 471 (Bacterial Reverse Mutation Assay) = negative. literature infomation: ECHA Dossier OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) = negative. literature infomation: ECHA Dossier

OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) = positive (with metabolic activation). = negative (without metabolic activation). literature infomation: ECHA Dossier In-vivo mutagenicity:

OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo) = negative. literature infomation: ECHA Dossier

OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) = negative. literature infomation: ECHA Dossier

Reproductive toxicity: (45d, Rat.) NOAEL = >900 mg/kg(bw)/day; literature infomation: ECHA Dossier

cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide: In-vitro mutagenicity:OECD Guideline 471 (Bacterial Reverse Mutation Assay) = positive. literature infomation: ECHA Dossier No experimental indications of mutagenicity in-vivo exist. literature infomation: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name								
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source			
3290-92-4	propylidynetrimethyl trimetha	propylidynetrimethyl trimethacrylate							
	Acute fish toxicity	LC50	2,0 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier			
	Acute algae toxicity	ErC50	3,88 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier			
	Acute crustacea toxicity	EC50	9,22 mg/l	48 h	Daphnia magna	ECHA Dossier			
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide								
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier			
	Acute algae toxicity	ErC50	3,1 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier			
	Acute crustacea toxicity	EC50	18,84 mg/l	48 h	Daphnia magna	ECHA Dossier			

12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive					
	Product code: D3	3		Page 8 of 11	
CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	·	•	•	
3290-92-4	propylidynetrimethyl trimethacrylate				
	OECD Guideline 301 B	53%	28	ECHA Dossier	
	Product is not easily biodegradable.				
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydrope	roxide			
	OECD 301B / ISO 9439 / EWG 92/69 Anhang V, C.4-C	3%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).		-	-	

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
3290-92-4	propylidynetrimethyl trimethacrylate	3,53
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide	2,16

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not empty into drains or the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Waste disposal according to official state regulations. Consult the local waste disposal expert about waste disposal. Cleaned containers may be recycled.

Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances Classified as hazardous waste.

Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Handle contaminated packaging in the same way as the substance itself.



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive

Product code: D33

Page 9 of 11

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

Not restricted

Other applicable information (land transport)

Not restricted

Inland waterways transport (ADN)

14.1. UN number:

Not restricted

Other applicable information (inland waterways transport) Not restricted

Marine transport (IMDG)

14.1. UN number:

Not restricted

Other applicable information (marine transport) Not restricted

Air transport (ICAO)

14.1. UN number:

Not restricted

Other applicable information (air transport) Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

irrelevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC):

<2 %; VOC Directive 2004/42/EC: <20 g/l

Additional information

The preparation is dangerous in the sense of Directive 1999/45/EC. This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS]. Not subject to regulation 96/82/EC. REACH 1907/2006 Appendix XVII, No 3

National regulatory information

Employment restrictions: Water contaminating class (D):

Observe employment restrictions for young people. 3 - highly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1,00, 23.10.2014, Initial release

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive

Product code: D33

Page 10 of 11

Agreement concerning the

International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

Full text of R phrases referred to under Sections 2 and 3

07	May cause fire.
21/22	Harmful in contact with skin and if swallowed.
23	Toxic by inhalation.
25	Toxic if swallowed.
34	Causes burns.
36/37	Irritating to eyes and respiratory system.
36/37/38	Irritating to eyes, respiratory system and skin.
36/38	Irritating to eyes and skin.
43	May cause sensitisation by skin contact.
48/20/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation and if
swallowed.	
51	Toxic to aquatic organisms.
52	Harmful to aquatic organisms.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
53	May cause long-term adverse effects in the aquatic environment.

Full text of H statements referred to under Sections 2 and 3

- H242 Heating may cause a fire.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



according to Regulation (EC) No 1907/2006

Delta D33 Penetrating Grade Adhesive

Product code: D33

Page 11 of 11

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)